















**LISTING NECESSARY MEDICAL EQUIPMENT OF SPECIALISTS SURGERY FOR FAMILY MEDICINE  
BASIC PACKAGE A**









**V- Work conditions of specific jobs concerning equipment, Act 27. Regulations for making of private practice in medical services**







ID	Products and Technical Specification	Manufacturer	Item	Picture
1	<p><b>Patient examination bed</b> with one or two sections</p> <p>I - Single-hinged examination table with chromed steel tubular frame.. Comes complete with simulated leather mattress (grey),Size : 176x60x78 cm, Weigh :22 Kg.</p> <p>II - Strong structure in chrome-plated. Rectangular steel tube. Adjustable head and leg sections. Mattress is completely covered with leather material.</p>	GIMA, Italy	27401 27501 27510	
2	<p><b>Chair for patient examination</b></p> <p>I – Adjustable seat height min 49-61 cm, size: R 31 cm, without backrest.</p> <p>II – Adjustable seat height min 54-69 cm, size : R 36 cm, with backrest.</p>	GIMA, Italy	27954 27959 27950 27966	
3	<p><b>Office desk for doctor medical practitioners</b></p> <p>Desk with 2 side drawers with locking top drawer and enameld tubular steel frame. Size : 120x70x76 cm, Weight : 27 Kg</p>	GIMA, Italy	27920	
4	<p><b>Office chair for doctor medical practitioners</b></p> <p>I Itallumag white painted frame chair with grey padded seat and back. Stackable. Load 120 kg.</p> <p>II- Movable chairs with castors, gray seats backrest, with or without handles.</p>	GIMA, Italy	45070 45081 27930 27932 27933	
5	<p><b>Drugs and instruments cabinet</b></p> <p>Cabinet with enameled sheet steel structure and tempered glass, Rack-mounted adjustable glass shelves. In the offer are several sizes depending on the needs.</p>	GIMA, Italy	27901 27903 27905	
6	<p><b>Trolley for instruments</b></p> <p>Wide variety of trolleys for instruments with different sizes and designs.Practical trolleys with aluminium and stainless steel body (Inox) with push handles and two or three shelves with upstands as you need.</p>	GIMA, Italy	27429 27430 27431 27433 27436	
7	<p><b>Reflector (Examination Lamp)</b></p> <p>Reflector examination lamp, movable with an adjustable height of 100 to 150 cm, 220 volt 50/60 Hz.</p>	GIMA, Italy	27990	

ID	Products and Technical Specification	Manufacturer	Item	Picture
8	<p><b>Waste bin</b></p> <p>Made of AISI 304 stainless steel with plastic inner bucket</p> <ul style="list-style-type: none"> <li>- capacity 7 lt.</li> <li>- size: 30x25x28 cm;</li> <li>- weight: 2 Kg.</li> </ul>	GIMA, Italy*	27984 27985	
9	<p><b>Instrument tray</b></p> <p>I – Stainless Steel Holloware instrument tray with cover, size 355x254x h 50 mm.</p> <p>II- Stainless Steel Holloware instrument tray without cover, size 355x254x h 50 mm.</p>	GIMA, Italy*	26604 26603 26606	
10	<p><b>Dry sterilizer</b></p> <p>Round sterilizer drums for hot air sterilization. Sterilizer manufactured from stainless steel AISI 304. In the offer sizes :</p> <ul style="list-style-type: none"> <li>- R 120xh 120 mm</li> <li>- R 140xh 140 mm</li> <li>- R 160xh 120 mm</li> <li>- R 180xh 180 mm</li> <li>- R 190xh 160 mm</li> <li>- R 240xh 160 mm</li> <li>- R 240xh 240 mm</li> <li>- R 340xh 340 mm</li> <li>- R 390xh 250 mm</li> </ul>	GIMA, Italy*	26673 26674 26676 26678 26680 26681 26682 26683 26684	
11	<p><b>ECG machine, with paper and gel</b> With or without monitor</p> <p>Size: 296x305,5x92,5 mm approx 3 kg Recording channel: 3, 6, 12 channel and 1 channel (60 sec.) Sensitivity: 5, 10, 20, auto (I~aVF: 10, W1~V6: 5) mm/mV Filters: AC (50/60 Hz, -20 dB or better) Muscle (25~35 Hz, -3 dB or better) Low pass filter (off, 40 Hz, 100 Hz, 150 Hz) Characterized 320x240 LCD display (3 directions) LCD display: Sensitivity, speed filter status, HR, Printing form, rhythm lead LED indicator: signal quality, power source, battery Patient data: ID, name, age, sex, height, weight Basic measurement: Heart rate, PR, QRS, QT/QTc, P-R-T axis Recorder: Thermal print head, thermal paper roll Report papers: width: A4: 210 mm or 8.5", length A4: 3 00 mm or 11" Resolution: vertical: 8 dots/mm, horizontal: 16 dots/mm Electrical: Internal noise: 20µV (p-p) max Input circuit: floating input Isolated and defibrillation protected DC offset voltage: = ± 500 mV Patient leakage current: &lt; 10µA Frequency response 0,05~150 Hz Power: Power supply: AC or built-in battery (options) Power requirement: 100-240 Vac, 50/60 Hz, 1.0-0.5 A.</p>	GIMA, Italy*	33354 33355	
12	<p><b>Negativscope</b></p> <p>Negativscopes have been designed following clinical recommendations for an extra white light to give an accurate and precise reading of any detail.</p> <ul style="list-style-type: none"> <li>- Negativscope 35 x 43 cm adjustable;</li> <li>- External Dimensions :</li> <li>Length: 44 cm, Height: 39 cm, Weight: 6 Kg.</li> </ul>	GIMA, Italy*	27361	
13	<p><b>Stethoscope</b></p> <p>High quality stethoscope with stainless steel chestpiece, stainless steel double inner spring binaural and durable, elegantly moulded PVC tubing for unsurpassed acoustic performance. Flexible "Y" tubing, nonchill ring and diaphragm retaining ring provide excellent patient comfort, while adding attractiveness In the offer variety range of colors.</p>	GIMA, Italy*	32534 32535 32536	

ID	Products and Technical Specification	Manufacturer	Item	Picture
14	<p><b>Otoscope and Ophthalmoscope – Mobile and Wall</b></p> <p>I - Sets includes 4 reusable speculum, 10 disposable speculum, 1 handle, 1 F.O. otoscope head, 1 ophthalmic head.</p> <p>II-The modular diagnostic station can be individually combined according to requirements and the room situation, it is variably extendable to the right and the left;</p> <ul style="list-style-type: none"> <li>- 3,5 V xenon or LED illumination creates lighting conditions similar to daylight;</li> <li>- Optimum electronic efficiency using an adjustable switch;</li> <li>- The adjusted light intensity setting remains until next week;</li> <li>-Automatic switching on/off of handles when removing or replacing them in the handle unit saves energy and increases the service life of the lamps;</li> <li>- Spiral cord expandable up to 3 m.</li> </ul>	GIMA, Italy*	31715 31822	 
15	<p><b>Sphygmomanometar</b></p> <p>I – Sphygmomanometar in the metal box</p> <ul style="list-style-type: none"> <li>- Traditional desk mercurial sphygmomanometer in aluminum painted case with self locking, with adult blue nylon cuff with velcro and metal D-ring.;</li> <li>- Internal graduated glass scale with inside diameter of 3.5 mm and a clear reading scale. On/off mercurial tap.;</li> <li>- Range 0-300 AmmHg</li> <li>- Air release at closed tap max 4 mm/Hg/Minute.</li> <li>- Graduated scale 2 mmHg by 2mmHg, with bigger notches graduated every 10 units</li> </ul> <p>II- Wall mercury sphygmomanometers Velcro cuff, scale : 0-300 mmHg.</p> <p>III- Sphygmomanometers for visiting medical nurse</p> <ul style="list-style-type: none"> <li>- Economic sphygmomanometers with fabric cuff with velcro closure, reliable manometer with clip to be fixed on the cuff.;</li> <li>- Scale 0-300 mmHg.</li> <li>- Air release at closed tap max 4 mm Hg/minute.</li> <li>- Manual setting of deflation possible up to 2/3 mm Hg.</li> <li>- From 260 mm Hg to 15 mm Hg max deflation time 10 sec.</li> <li>- Scale graduated every 2 mm Hg.</li> <li>- Floating zero (the pointer has not a stop point but swing freely), nylon velcro cuff, latex bulb with chromium plated valve.</li> </ul>	GIMA, Italy*	32750 32760 32720	  
16	<p><b>Laryngoscope</b></p> <p>I - Standard or halogen bulb, gives cool bright illumination</p> <ul style="list-style-type: none"> <li>- Light ergonomic, satin finish handle</li> <li>- Stainless Steel contacts guarantee long working life</li> <li>- Easy sterilization without removal of bulb</li> <li>- Full range of McIntosh &amp; Miller blades, latex free</li> <li>- ISO 7376 fittings allow use of blades with existing handles</li> <li>- Set is packaged in an anti-shock case and in cardboard box</li> </ul> <p>II - Free laryngoscope in suitcase Plastic handle with fine edges; full offer McIntosh &amp; Miller blades; set is packed in the suitcase; set includes 6 blades (Miller 0-1 and Mc Intosh No 2,3,4) and blade</p> <p>III- Free base laryngoscope in case Plastic handle with fine edges; full offer McIntosh &amp; Miller blades; set is packed in the base case; set includes 3 blades (Miller 0-1 and Mc Intosh No 2,3,4) and blade</p>	GIMA, Italy*	34301 34381 34384	  
17	<p><b>Neurological hammer</b></p> <p>Neurological hammer, Buck classic, silver chromed brass handle, weight 90g, length 18 cm.</p>	GIMA, Italy*	31251	
18	<p><b>Hand pen lights</b></p> <p>Alfa torch – plastic pen light with battery</p>	GIMA, Italy*	25626	
19	<p><b>Syringes and needles for single use</b></p> <p>Wide range of sterile syringes with or without needle. Needles made in stainless steel AISI 304.. All products are sterilized by Ethylene Oxide 10%+CO2 90% method Capacity : 2.5 ml Rate : 22G 1 1/4"</p>	GIMA, Italy*	26010	

ID	Products and Technical Specification	Manufacturer	Item	Picture
20	<p><b>Thermometer</b></p> <p>I - Oral thermometer, Individually packed in plastic case</p> <p>II – Rectall thermometer, Individually packed in plastic case</p> <p>III- Digital thermometers, Individually packed in plastic case, beeper function, auto shut-off, result for 60s..</p>	GIMA, Italy*	25561 25590 25592	
21	<p><b>Small set for surgery</b></p> <p>I Set with 9 instruments in stainless steel: probe 15 cm; probe Butterfly 14 cm; scalpel straight blade 17,5 cm ; Scalpel pot-bellied blade 17,5 cm ; Forceps anatomy 14 cm; Forceps surgery 14 cm; hook 15 cm; Forceps thin end 12 cm; Straight scissors blunt/sharp 14,5 cm.</p> <p>II - Set with 10 instruments in stainless steel: probe 15 cm; probe Butterfly 14 cm; scalpel straight blade 17,5 cm ; Scalpel pot-bellied blade 17,5 cm ; Forceps anatomy 14 cm; Forceps surgery 14 cm; Klemmer forceps- straight 16 cm; Forceps Michel stitch remover 13 cm; Forceps thin end 12 cm; Straight scissors blunt/sharp 14,5 cm; Needle holder Mayo Hegar 16 cm.</p> <p>III Set with 11 instruments in stainless steel: probe 15 cm; probe Butterfly 14 cm; scalpel straight blade 17,5 cm ; Scalpel pot-bellied blade 17,5 cm ; Forceps anatomy 14 cm; Forceps surgery 14 cm Forceps Michel stitch remover 13 cm; Forceps thin end 12 cm; Straight scissors blunt/sharp 14,5 cm; Needle holder Mathieu 16 cm.</p>	GIMA, Italy*	26760 26701 26702 26703 26704 26705 26707 26722 26723 26724 26725 26730 26732	
22	<p><b>Tongue Depressors</b></p> <p>These high quality tongue depressors are manufactured with selected and seasoned wood. Sterile. Edges accurately finished. Size 150x18 mm.</p> <p>I – Individually packaged in a paper envelope, sterile, Packing: 50 pcs.</p> <p>II- Non sterile, packing: 100 pcs.</p>	GIMA, Italy*	25616 25618	
23	<p><b>Gauze bandages</b></p> <p>A wide selection of bandages, sterile gauze, jar etc.</p>	GIMA, Italy*	34841	
24	<p><b>Elasticated bandages</b></p> <p>Elasticated bandage for containment, individually protected by a single cellophane, in a box</p> <p>Available in 2 versions:</p> <ul style="list-style-type: none"> <li>- Non adhesive (65% cotton and 35% polyamide fibre)</li> <li>- Adhesive (99.7% cotton and 0.3% polyamide)</li> </ul>	GIMA, Italy*	34720	
25	<p><b>Cotton gauze</b></p> <ul style="list-style-type: none"> <li>- Size 10X10 cm - carton of 50 box of 12 pcs;</li> <li>- Size 15X15 cm - carton of 50 box of 12 pcs;</li> <li>- Size 20X20 cm - carton of 50 box of 12 pcs;</li> <li>- Size 18X40 cm - carton of 50 box of 12 pcs;</li> <li>- Size 36X40 cm - carton of 50 box of 12 pcs;</li> </ul>	GIMA, Italy*	34760 34761 34762 34763 34764	
26	<p><b>Sterile suregical gloves</b></p> <p>Latex sterile surgical gloves with low content of latex proteins. The micro textured surface assures a very good grip in any different condition of use. Lightly powered. Anatomic shape assuring a very good comfort. Sterilized by ETO. Size: 6,5-8,5</p>	GIMA, Italy*	25685 25686 25687 25688 25689	
27	<p><b>Biological products container</b></p> <p>Biological products container - 50 ml. Screw cap with small spatula.</p>	GIMA, Italy*	25971	
28	<p><b>Urine container</b></p> <p>120 ml, with screw cap – graduated to 100 ml.</p>	GIMA, Italy*	25970	

ID	Products and Technical Specification	Manufacturer	Item	Picture
29	<p><b>Urine test tapes for visual reading and printing of results on the instrument.</b></p> <p>Packs of 50 -150 urine strips 10 or 11 parameters. Visual results can be read directly on the strip or printed on the instrument (after about 60 sec.)</p> <p>10 or 11 parameters:</p> <ul style="list-style-type: none"> <li>- Leucocytes</li> <li>- Nitrite</li> <li>- Urobilinogen</li> <li>- Protein (albumin)</li> <li>- pH</li> <li>- Blood</li> <li>- Specific gravity</li> <li>- Ketones</li> <li>- Bilirubin (acetoacetic acid)</li> <li>- Glucose</li> <li>- Ascorbic acid</li> </ul>	GIMA, Italy*	24060 24061 24062	
31	<p><b>Kits for emergency medical assistance</b></p> <p>Bag and Rucksack</p> <p>Standard accessories includes:</p> <ul style="list-style-type: none"> <li>- Steel 0.5 l rechargeable oxygen cylinder (empty), with bronze reducer high pressure manometer and litre-dosage distributor. UNI standard</li> <li>- Autoclavable resuscitator bag with facemask N°4</li> </ul> <p>3 Guedel airways small-medium-large</p> <ul style="list-style-type: none"> <li>- Helicoidal mouthwedge and tongue holding forceps</li> <li>- Atoxic tubing for connection to oxygen cylinder</li> <li>- Laryngoscope with 3 single use blades</li> <li>- Aneroid sphygmomanometer</li> <li>- Stethoscope</li> <li>- Universal scissors</li> <li>- Oxygen mask</li> </ul>	GIMA, Italy*	34156 34163	
32	<p><b>Set for immobilization of the extremities (Arm or Leg) at the bur</b></p> <p>Set for immobilization of the extremities, efficient and practical</p> <p>Available in 5 sizes :</p> <ul style="list-style-type: none"> <li>- Splint for leg</li> <li>- Splint for arm</li> <li>- Splint for forearm</li> <li>- Splint for wrist</li> <li>- Splint for elbow/ankle.</li> </ul>	GIMA, Italy*	34685 34680 34681 34682 34683 34684	
33	<p><b>Set for immobilization neck</b> (size: adult and children)</p> <p>Ambu® Perfect™ ACE collars are rigid collars, available in 2 versions, adult and pediatric, both adjustable in different sizes/positions.</p> <p>Adult has 16 adjustments, covering necklace, short, regular and tall.</p> <p>Paediatric has 12 adjustments, covering infant, child, small adult.</p>	GIMA, Italy*	34640 34641	

From the **basic package A**: An offer is possible for the individual order of the listed products.

All pricing could be obtained by issuing a query for your needs.

More information about offered products can be obtained on the website [www.gimaitaly.com](http://www.gimaitaly.com)

**\*Please note that we accept requests for all products from other manufacturers medical equipment.**